

MELOXICAM

COMPOUNDED SOLUBLE

Meloxicam is classified as a selective cyclooxygenase-2 (COX-2) inhibiting non-steroidal anti-inflammatory drug (NSAID). It is used for treatment or relief of fevers, pain and inflammation, and it is only available through veterinarian prescription. Meloxicam is available in water-soluble (0.6%) and oral drench (1.5%) formulations for flexible administration and targeted dosing; therefore, it is adaptable across different production stages.



- **Concentration:** 6 mg/mL
- **Available sizes:** Pint or gallon
- **Common prescription dosage:**
 - 0.5–1 mg/kg or 22.5–45 mg/100 lbs
 - Meloxicam water soluble should be administered in an appropriate volume of water for daily cattle intake dependent on animal weight and ambient temperature
- Can be used for water proportioning and direct drinking water
- **Miscibility*:** UltrAmox™, Neomycin, Chlortetracycline, Lincomycin, Iversol™
- **Do not mix with:** Acids
- **Product details:**
 - Store at controlled room temperature
 - Beyond use date: 180 days from the date of compounding



Please consult your veterinarian prescribed label for withdrawal recommendations.

ADMINISTERING MELOXICAM COMPOUNDED SOLUBLE



Meloxicam is miscible with a large variety of other drugs in the same stock solution, including UltrAmox,[™] Neomycin, Chlortetracycline, Lincomycin and Iversol.[™] Mix Meloxicam with other drugs only on a veterinarian's prescription.

BEST PRACTICES FOR: USE IN WATER MEDICATOR

- 1 Mix precisely to the ratio directed on the prescription
- 2 Do not exceed total volume called for on the prescription
- 3 Add Meloxicam, then water, then mix well with stirring spoon or tool
- 4 Follow duration of treatment per prescription instructions
- 5 Mix Meloxicam with other drugs only under a veterinarian's prescription
- 6 Use within 24 hours of mixing

BEST PRACTICES FOR: USE IN DIRECT DRINKING WATER / WATER TROUGH

- 1 Mix precisely to the ratio directed on the prescription
- 2 Use sufficient water per head based on ambient temperature and expected intake
- 3 Add Meloxicam to the bottom of the water trough first
- 4 Follow prescription directions and duration of treatment
- 5 Administer within 24 hours of mixing

Have questions? Contact us at:

877-931-8707 • Pharmacy@VetPharmSol.com
VeterinaryPharmaceuticalSolutions.com



Only available with veterinarian prescription.

The dispensation and administration of compounded veterinary medicinal products shall be contingent upon a valid prescription issued by a duly licensed veterinarian, and such products shall be utilized exclusively under the direct supervision of said licensed veterinarian.

This product and these statements have not been evaluated by the Food and Drug Administration.

*Contact VPS technical services for mixing and miscibility information. Internal data on file.

All trademarks are the property of Veterinary Pharmaceutical Solutions or a related company or a licensor unless otherwise noted.
©2026 Veterinary Pharmaceutical Solutions. All rights reserved.

MM-123 6/30/2026